

No. 74092

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office APR 03 2006

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 16 1989 under 53785

The applicant **Escapees Co-op of Nevada Inc.** hereby make application for permission to change the **Point of diversion Place of use** of water heretofore appropriated under **Permit # 69065**

1. The source of water is **Underground Source**
2. The amount of water to be changed **2.0 AFA 0.0069 CFS**
3. The water to be used for **Quasi-Municipal Use**
4. The water heretofore permitted for **Quasi-Municipal Use**
5. The water is to be diverted at the following point **within the NE¼ of the NW¼ of Section 12, T.21S., R.53E., M.D.B.&M., Nye County, Nevada at a point from which the N¼ corner of said Section 12. bears N 66°00'48"E a distance of 1370.34 feet- see map "A.O.F." as Permit #53785 dated 10-16-89 and Permit #53939 dated (supplemental) 10-16-89**
6. The existing permitted point of diversion is located within **The NW¼ of the NE¼ of the NW¼ of Section 1, T.21S., R.53E., M.D.B.&M., Nye County, Nevada or at a point from which the N¼ corner of said Section-1 bears N 59°47'22" E a distance of 1244.67 feet I-see map "A.O.F." as Permit #69065 dated 4-11-95**
7. Proposed place of use **within the NE¼ of the NW¼ of Section 12, T.21S., R.53E., M.D.B.&M., Nye County, Nevada see map "A.O.F." as Permit #53785 dated 10-16-89 and Permit #53939 dated 10-16-89 (supplemental)**
8. Existing place of use **within the NW¼ of the NE¼ of the NW¼ of Section 1, T.21S., R.53E., M.D.B.&M., Nye County, Nevada – see map "A.O.F." as Permit #69065 dated 4-11-95**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **Existing well, submergible pump, presure tank, totalizing meter and distribution system**
12. Estimated cost of works **\$1000⁰⁰**
13. Estimated time required to construct works **1-year-existing well, submergible pump, presure tank, totalizing meter and distribution system**
14. Estimated time required to complete the application of water to beneficial use **5-years**

15. Remarks: Additional water required in Escapees Co-op of Nevada Inc. R.V. Park. Projected additional useage for various planned improvements to R.V. park - increased requirements for overnight rental spaces, landscaping etc.

By Ronnie M. Phillips
s/ Ronnie M. Phillips
1240 E. State St. Suite #101
Pahrump, Nevada 89048

Compared mt/dl lt/gki

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of the waters of an underground source as heretofore granted under Permit 69065 is issued subject to the terms and conditions imposed in said Permit 69065 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 53785, 53939 and 74092 shall not exceed 25.86 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(Continued on Page 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0069 cubic feet per second, but not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and proof of completion of work shall be filed on or before:

March 14, 2008


Water must be placed to beneficial use and proof of the application of water to beneficial use shall be filed on or before:

March 14, 2010

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 14th day of March, A.D. 2007



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____